

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	560	(370/206).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:04
S2	104	(370/207).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 11:45
S3	1130	(370/208).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 11:51
S4	618	(370/210).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 11:59
S5	43	(370/211).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 11:59
S6	640	(370/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:01
S9	70	(buffer\$3 near2 ofdm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:04

S10	69	S9 and (receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:04
S12	2	(buffer\$3 or stor\$3) near2 (ofdm near2 packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:29
S21	1809	(375/350).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:48
S22	201	S21 and (equaliz\$3) and (buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:50
S23	12	S21 and (ofdm near2 equaliz \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:21
S24	1	S21 and ((buffer\$3 or stor\$3) near2 (ofdm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/15 12:53
S31	684	(370/343).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:11
S32	0	S31 and (equaliz\$3) near2 (buffer or memory or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:06
S36	691	(least mean square) same (module or processor or engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:22

S37	468	S36 and (buffer or storage\$4 or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:22
S38	539	S36 and (buffer or storage\$4 or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:22
S39	143	S38 and (equalizer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:51
S40	4	S39 and (ofdm near2 receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:24
S41	13	S39 and (ofdm near2 receiver\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 12:24
S47	0	("2005/0201267").URPN.	USPAT	ADJ	ON	2007/12/10 12:43
S48	163	S38 and (equalizer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 13:00
S49	97	(ofdm) same (buffer or queue or storage) same (receiver) same (controller or processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/10 13:01
S86	32	(provided\$3 or transmit\$3) (pilot near2 data) same (buffer or queue or memory or storage\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:09

S87	12	(stor\$3) same (pilot near2 track\$3 near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:12
S88	2209	((track\$3 or determin\$8 or measur\$3) same (pilot near2 symbol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:14
S89	1350	S88 and (buffer\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:14
S90	54	S88 and ((buffer\$3 or stor\$3) same (pilot data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/13 18:39
S101	14	(pilot near2 track\$3 near2 data) same(buffer or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 10:00
S110	366	((stor\$3 or buffer\$3) same (pilot data or fine estimate data or frame synchronization data or equalization data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 11:17
S122	610	(central buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:55
S123	3	S122 and (ofdm near2 receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:50
S124	2	"5771224".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:49

S125	3	S122 and (ofdm near2 receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:51
S126	1	S122 and (pilot near2 track\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:51
S127	2	((centraliz\$2 buffer or centraliz\$2 storage)near2 (ofdm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:57
S128	12	((centraliz\$2 buffer or centraliz\$2 storage)near2 (receiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:57
S129	12	((centraliz\$2 buffer or centraliz\$2 storage or centraliz\$2)near2 (receiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 13:57
S130	116	((estimat\$3 or determin\$8) same (coarse signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:11
S131	100	S130 and (control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:08
S133	2	S131 and (preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:07
S136	116	((estimat\$3 or determin\$8) same (coarse signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 16:12

S143	606	(370/206).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S144	120	(370/207).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S145	1373	(370/208).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S146	774	(370/210).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S147	48	(370/211).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:46
S148	788	(370/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:47
S150	12	(centraliz\$2 or shar\$2) same (buffer or memory or queue or stor\$4) with (ofdm near2 (symbol or signal or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 12:53
S152	618	"375".clas. and (equaliz\$3) near2 (buffer or memory or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:05
S155	73	(FFT near2 process\$3)near2 (equaliz\$3 or (pilot near2 track \$3) or (pilot or carrier near2 (estimat\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:47

S156	1	S155 and (centraliz\$2 or shar\$2) near3 (buffer or memory or queue or stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:47
S157	1	S155 and (centraliz\$2 or shar\$2) near3 (buffer or memory or queue or stor\$4 near3 (unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:23
S159	4	(receiv\$3 near2 (symbol or data))same (centraliz\$2 or shar\$2) near3 (buffer or memory or queue or stor\$4 near3 (unit)) with (FFT or ofdm near2 (process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:26
S160	4	(receiv\$3 near2 (symbol or data))same (centraliz\$2 or shar\$2 or pipelin\$2) near3 (buffer or memory or queue or stor\$4 near3 (unit))with (FFT or ofdm near2 (process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:30
S161	19	(symbol or data)same (centraliz\$2 or shar\$2 or pipelin\$2) near3 (buffer or memory or queue or stor\$4 near3 (unit)) with (FFT or ofdm near2 (process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:31
S166	18	(common or centraliz\$2) near5 (memory or queue or stor\$4 or buff\$4) same (ofdm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 16:29
S170	10	(common or centraliz\$2 or shar\$3) near5 (memory or queue or stor\$4 or buffer) same (ofdm near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:09
S171	10	(common or centraliz\$2 or shar\$3) near5 (memory or queue or stor\$4 or buffer or (memory near2 bank)) same (ofdm near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:11
S174	3	(receiv\$3 or receiver) near3 (symbol or carrier\$1 or data) near3 (memory or queue or stor\$4 or buffer or (memory near2 bank)) with (ofdm near2 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 17:20

S175	28	((MAXIM) near2 (BELOTSEKOVSKY)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/10/16 10:59
S176	19	((VINCENT) near2 (DEMOULIN)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/10/16 11:00
S177	82	((LOUIS) near2 (LITWIN)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/10/16 11:00
S178	87	((LOUIS) near2 (LITWIN)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/07/07 12:22
S179	31	((MAXIM) near2 (BELOTSEKOVSKY)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/07/07 12:29
S180	22	((VINCENT) near2 (DEMOULIN)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/07/07 12:33
S181	1520	(370/208).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 12:38
S182	859	(370/210).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 12:38
S183	862	(370/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 12:38
S184	2144	(375/350).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 12:38
S185	197	S181 and (centraliz\$2 or control \$4 near2 (buffer or stor\$4 or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 12:44
S186	69	S185 and ((FFT near2 process \$3)or (tack\$3 near2 pilot) or (estimat\$3 near2 carrier) or (equaliz\$3 near2 module) or (tap near2 module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 12:46

S187	68	S186 and (OFDM or ofdm near2 (singals or data or symbol or carrier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 12:47
S188	49	S187 and (control\$4 near2 (receiver or interface or input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 13:22
S189	964	(receiv\$3) same (ofdm near2 (symbol or data or signal)) same (buffer or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 13:52
S190	426	S189 and ((FFT near2 process \$3)or (tack\$3 near2 pilot) or (estimat\$3 near2 carrier) or (equaliz\$3 near2 module) or (tap near2 module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 13:52
S191	225	S190 and (control\$4 near2 (receiver or interface or input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 13:52
S192	51	(370/211).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 14:01
S193	4	("7251558" or "7139659").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 14:29
S194	6	("6862524" or "6594576" or "6490619").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 14:43
S195	2	"7251558".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/07 14:55

S196	7	(tap near2 (start\$3 or initialization))same (estimat\$3 or measur\$3 near2 (module or control\$4))with (part or portion near2 (preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/08 12:14
S197	31	((MAXIM) near2 (BELOTSEKOVSKY)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/12/04 13:33
S198	22	((VINCENT) near2 (DEMOULIN)).INV.	US-PGPUB; USPAT	ADJ	ON	2009/12/04 13:34
S199	1622	(370/208).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:37
S200	653	(370/206).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:37
S201	137	(370/207).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:38
S202	956	(370/210).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:38
S203	941	(370/343).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:38
S204	2221	(375/350).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:38
S205	7	(tap near2 (start\$3 or initialization))same (estimat\$3 or measur\$3 near2 (module or control\$4))with (part or portion near2 (preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:39

S206	3915	(estimat\$3 or measur\$3 or calculat\$3 or determin\$8 with (frame or synchronization or carrier or pilot or (equaliz\$3 near2 tap)))with (OFDM near2 (signal or data or symbol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:59
S207	3106	S206 and (process\$3 or exchang\$3 or retriev\$3 near2 (buffer or memory or stor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 13:59
S208	3106	S206 and (process\$3 or exchang\$3 or retriev\$3 near2 (buffer or memory or stor\$4 or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:00
S209	1087	S208 and ((FFT near2 process \$3)or (tack\$3 near2 pilot) or (estimat\$3 near2 carrier) or (equaliz\$3 near2 module) or (tap near2 module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:01
S210	50	S209 and (receiver near2 (manag\$3 or controll\$4 or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:01
S211	7	(tap near2 (start\$3 or initialization))same (estimat\$3 or measur\$3 near2 (module or control\$4))with (part or portion near2 (preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:08
S212	207	S199 and (centraliz\$2 or control \$4 near2 (buffer or stor\$4 or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:10
S213	59	S200 and (centraliz\$2 or control \$4 near2 (buffer or stor\$4 or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:10
S214	23	S201 and (centraliz\$2 or control \$4 near2 (buffer or stor\$4 or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:10

S215	146	S202 and (centraliz\$2 or control\$4 near2 (buffer or stor\$4 or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:10
S216	195	S204 and (centraliz\$2 or control\$4 near2 (buffer or stor\$4 or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:11
S217	47	S212 and (estimat\$3 or measur\$3 or calculat\$3 or determin\$8 with (frame or synchronization or carrier or pilot or (equaliz\$3 near2 tap))) with (OFDM near2 (signal or data or symbol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:11
S218	6	S213 and (estimat\$3 or measur\$3 or calculat\$3 or determin\$8 with (frame or synchronization or carrier or pilot or (equaliz\$3 near2 tap))) with (OFDM near2 (signal or data or symbol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:12
S219	1	S214 and (estimat\$3 or measur\$3 or calculat\$3 or determin\$8 with (frame or synchronization or carrier or pilot or (equaliz\$3 near2 tap))) with (OFDM near2 (signal or data or symbol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:12
S220	29	S215 and (estimat\$3 or measur\$3 or calculat\$3 or determin\$8 with (frame or synchronization or carrier or pilot or (equaliz\$3 near2 tap))) with (OFDM near2 (signal or data or symbol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:12
S221	4	S216 and (estimat\$3 or measur\$3 or calculat\$3 or determin\$8 with (frame or synchronization or carrier or pilot or (equaliz\$3 near2 tap))) with (OFDM near2 (signal or data or symbol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:12
S222	228	S204 and ((FFT near2 process\$3) or (tack\$3 near2 pilot) or (estimat\$3 near2 carrier) or (equaliz\$3 near2 module) or (tap near2 module))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:20
S223	5	S222 and (receiver near2 (manag\$3 or controll\$4 or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 14:20

S224	0	LL33 and (preamble near2 (portion or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 15:30
------	---	--	---	-----	----	---------------------

12/ 4/ 2009 4:51:29 PM**C:\ Documents and Settings\ celpenord\ My Documents\ EAST\ Workspaces\ 10523442.wsp**